



TA Targets Gen 3 Welded Round Steel Target Base Instructions



Our Gen 3 Welded Base is a resurrection of our original base, the target base that was at the very beginning of our company. This base ships assembled with everything already installed for use. Simply unbox, set on level surface, and get to training. **BEFORE SHOOTING: FULLY READ THIS MANUAL AND THE INCLUDED SAFE SHOOTING PAMPHLET WE INCLUDE WITH EACH SHIPMENT. ADDITIONALLY, READ THE STICKER ON THE BACK OF YOUR TARGET PLATE PRIOR TO SHOOTING. ALWAYS OBEY OUR SAFETY REQUIREMENTS. UNDER NO CIRCUMSTANCES SHOULD YOU ALTER OR MISUSE YOUR SYSTEMS. ALWAYS WEAR APPROVED HEARING AND SAFETY GEAR WHENEVER HANDLING A FIREARM.** As always, if you have ANY questions, please contact us via email **PRIOR** to using our products. The Customer Service email is info@tatargets.com. You may also call 1-833-746-4785 M-F during business hours. If questions **EVER** exist, cease use of your target until we can address your questions and/or concerns.


***BEFORE YOU BEGIN: PLEASE READ ALL SUPPLEMENTAL INSTRUCTIONS FOUND ON OUR WEBSITE REGARDING PROPER AND SAFE USE OF OUR STEEL TARGET SYSTEMS!**

****Lost Components:** During setup, tear-down and transport it is extremely important to make sure you do not lose any of your hardware or components. Always be mindful of how and where you tear down your base to reduce the risk of losing hardware or components.

A complete Gen 3 20” Round Base will include the following components:

- Welded Ring (Rolled/Welded Angle, Two center slats welded into place with holes to accept 2X4 mount)
- Breakdown Base 2X4 tube (for wood 2X4 posts and our Armored Posts)
- Left and Right Paper Holders
- All necessary hardware
- Breakdown Base Tool (keep for your convenience when maintaining Base)
- ENTIRE assembly (less hardware) will be powder coated Grey Beige (tan)

Assembly Diagram: BDB TOOL



20” ROUND BASE
ASSEMBLY DIAGRAM

13	BDB-TOOL	BREAKDOWN BASE TOOL	1
12	FW38	FLAT WASHERS	4
11	LW38	LOCKING WASHERS	4
10	WN38	16 WING NUTS	4
9	CB38-16X1	16 X 1" CARRIAGE BOLTS	4
8	BDB-PH1-L-R4	BDB PAPER HOLDER	1
7	BDB-PH1-R-R4	BDB PAPER HOLDER	1
6	LN38-16	16 LOCKING NUT	2
5	CB38-16X3"	16 X 3" GRADE 5 CARRIAGE BOLT	2
4	TS38X1	16 X 1" THUMB SCREW	1
3	TS38X15	16 X 1 1/2" THUMB SCREW	1
2	BDB-2X4-TUBE	BREAKDOWN BASE 2X4 BENT TUBE	1
1	20RB	WELDED BASE RING AND CENTER SLATS	1
DIAGRAM #	SKU	DESCRIPTION	QTY

*NOTE: Single Falling Tree, Double Falling Tree, Rifle Dueling Tree, Goliath Target System, Phoenix Plate Rack and MOD 1 Bullet Trap require additional components and instructions. Each of these systems come with their own set of instructions. Please refer to the full instructions for these systems for setup and use.

*NOTE: DURING USE YOUR BASE WILL EXPERIENCE BULLET JACKET FRAGMENTATION. WHILE THIS WILL NOT WEAR OUT YOUR BASE, IT CAN CREATE SURFACE IMPERFECTIONS, POWDER COAT CHIPPING, AND SHARP EDGES. ALWAYS HANDLE USED BASES WITH EXTREME CARE. ALWAYS ASSUME SHARP EDGES WILL BE PRESENT AFTER USE FOR SAFETY. WE HIGHLY RECOMMEND USING GLOVES. ALWAYS REMEMBER THAT LEAD IS PRESENT WHEN SHOOTING. ALWAYS WASH HANDS AFTER RANGE TRAINING. BE SURE TO WEAR APPROVED PPE ON THE RANGE.

PLEASE REFER TO OUR SAFE SHOOTING INSTRUCTION MANUAL PRIOR TO USING THIS PRODUCT. HANDLING FIREARMS, AMMUNITION, STEEL TARGETS AND OTHER RANGE EQUIPMENT CAN BE DANGEROUS. IF YOU HAVE ANY QUESTIONS ABOUT THE SAFETY OR USE OF THE PRODUCT, EMAIL OR CALL US PRIOR TO USING. DO NOT USE THIS PRODUCT IN AN UNSAFE OR CARELESS MANNER. SERIOUS INJURY OR DEATH OR PROPERTY DAMAGE CAN RESULT FROM MISUSE OF THIS PRODUCT

Basic Target Guidelines:

- The Gen 3 Welded Target Base is NOT armored. It is NOT designed to be directly impacted with bullets EVER. Impacting your base OR its components WILL result in damage. You will need to purchase replacement components at YOUR cost if you damage your base. Our warranty ONLY covers proper fitment of final product and a guarantee against defects prior to use. It is the end user's responsibility to ensure the breakdown base is ALWAYS used carefully and properly.

- Please note: Depending on terrain and target systems/calibers used, users may need to stake the target to the ground. Never place rocks, tires, or debris under targets for stability. The ONLY acceptable method is purchasing our stakes on our website. Under most normal conditions, staking is NOT required. If your target system seems unstable, find flatter ground, OR consider staking. Unstable target systems are not safe. It is your responsibility to ensure your targets are set up properly. Refer to each instruction manual for each system. For further details.

-ALWAYS WEAR APPROVED EYE AND EAR PROTECTION WHILE SHOOTING!

- ALWAYS HANDLE USED TARGETS WITH GLOVES AND OTHER PPE. NEVER EAT WHILE ON THE RANGE. ALWAYS WASH HANDS AND CLOTHES AFTER RANGE TIME OR TARGET HANDLING.

-Please read our separate safe shooting pamphlet included with this packaging. It outlines basic range safety and safe shooting practices. Please consult with trained professionals BEFORE partaking in ANY range shooting

Maintenance Considerations:

The Gen 3 Welded Round Base is fully serviceable. If you are missing components or have damaged components, please reach out to our customer service team for replacement parts OR check our website for replacement parts and components. During use with steel targets, it is **NORMAL** to see chipping of the powder coat on the base. If you desire to touch up your base, you can purchase spray paint on our website.

Other Accessories:

We offer other accessories for the Breakdown Base. For **FULL** Line of products surrounding the Breakdown Base, see our website and social media pages.

If you have any other questions, please feel free to email our team and we'll be able to further assist you with setting up your new target system.

Customer Service Email: info@tatargets.com

